



FLOORWASH

F25

Floor Scrubber Dryer Code: FCM.F25 F25ACIMB




The ultimate cleaning power inside and outside the house

Thanks to its innovative and modern design, the Floorwash F25 floor scrubber dryer has been developed to exploit the entire cleaning surface, even when faced with stubborn dirt or difficult-to-reach areas.

Adjustable Angle

Tank with a 90° tilt angle

Thanks to the tank with a tilt angle of 90°, it is possible to reach the most difficult areas: under furniture 14cm high.



2 3

Adjustable Height

Tank adjustable to 3 different heights

Floorwash is for everyone! Thanks to the practical height-adjustable tank, you can select three different positions, for everyone's comfort.

Innovative Design

Compact and easy to transport

Floorwash is easy to disassemble and store even in the trunk of the car. Its ultra compact shape guarantees its use in different environments for limitless cleaning.







Quick and easy! With Floorwash it only takes a few minutes to change the brushes, simply press on the left side to remove the pins that support the brushes, make the change and reinsert the pins in the opposite



Two counter-rotating brushes

Two cylindrical brushes, front and rear, ensure that every surface is perfectly cleaned, fully recovering any type of liquid present on the floor. Floorwash's effectiveness comes from the high opposite rotation speed of the brushes, allowing the roller to carry the dirt inside the recovery tank.



Effective cleaning flush with the wall

Floorwash's innovative front brush allows you to effectively clean along the edge of the wall and reach the most difficult corners. The off-centre position on the right, puts the tip of the brush only 5 mm from the edge overhang.



Manual water dispensing

The lever used to dispense water is placed under the handle for maximum comfort. It is possible to "measure" the quantity of water dispensed according to the surface specifications. This makes Floorwash a tool able to clean any type of surface, including parquet.

Technical features

F25 ELECTRIC FLOOR SCRUBBER DRYER (*)



Machine height	140mm
Machine width	285mm
Machine length	330mm
Front brush	Ø86 700 rpm
Rear brush	Ø54 1145 rpm
Working width	250mm
Working capacity	200m²/h
Brushless motor power	400W 2800 rpm
Total storage capacity	4L
Recovery tank capacity	1L
Total empty weight	10kg



Contact all branches



BOOK A FREE DEMO NOW Call us on 1300 347 347




Floor Scrubber Dryer Code: FCM.F35 F35ACIMB




Enhanced cleaning power in your work environment

The new F35 is an ultra-compact upright floor scrubber dryer. The unique design of the body and brushes of this professional are difficult to access. With a cleaning surface area of 35 cm, it is ideal for home use as well as in hotels, restaurants, bars, schools, offices, shops and medical centres.



Tank with a 90° tilt angle





Adjustable Height

Tank adjustable to 3 different heights

Floorwash is for everyone! Thanks to the practical height-adjustable tank, you can select three different positions, for everyone's comfort.





Innovative Design

Compact and easy to transport

even in the trunk of the car. Its ultra compact shape guarantees its use in different environments for limitless cleaning.







Quick and easy! With Floorwash it only takes a few minutes to change the brushes, simply press on the left side to remove the pins that support the brushes, make the change and reinsert the pins in the opposite direction.



Two counter-rotating brushes

Two cylindrical brushes, front and rear, ensure that every surface is perfectly cleaned, fully recovering any type of liquid present on the floor. Floorwash's effectiveness comes from the high opposite rotation speed of the brushes, allowing the roller to carry the dirt inside the recovery tank.



Effective cleaning flush with the wall

Floorwash's innovative front brush allows you to effectively clean along the edge of the wall and reach the most difficult corners. The off-centre position on the right, puts the tip of the brush only 5 mm from the edge overhang.



Manual water dispensing

The lever used to dispense water is placed under the handle for maximum comfort. It is possible to "measure" the quantity of water dispensed according to the surface specifications. This makes Floorwash a tool able to clean any type of surface, including parquet.

Technical features

F35 ELECTRIC FLOOR SCRUBBER DRYER



Machine height	140mm
Machine width	385mm
Machine length	330mm
Front brush	Ø88.5 700 rpm
Rear brush	Ø54 1145 rpm
Working width	350mm
Working capacity	400m²/h
Brushless motor power	400W 2800 rpm
Total storage capacity	4L
Recovery tank capacity	1.8L
Total empty weight	11kg



Contact all branches





Floor Scrubber Dryer Code: FCM.BAT FB25GCIM





Powerful. Versatile. Everywhere

FB25 is a floor scrubber dryer powered by high energy-saving lithium ion batteries. It can adapt automatically to any type of surface. An innovation that will forever change the concept of cleaning.



Lots of power at your service.

The brushless motor guarantees maximum performance. Its electronic brain allows it to always work in optimal performance conditions and ensures long service life.



Li-ion battery

Power in an ultra-compact format. The battery with rechargeable lithium-ion technology provides up to 1 hour of autonomy in continuous use. Full charge in just 90 minutes.



A few seconds to work continuously.

The SCS system allows you to change the battery in seconds ensuring work without interruptions.



Circuit Protector System

Latest generation safety.

The CPS system automatically manages motor power. In case of excessive effort, obstacles or difficult surfaces, the brushes work intermittently avoiding damage to the product or surfaces.





Automatic Friction Control

The surface changes, the power stays.

The AFC system automatically recognises the type of surface you are working on and adapts motor performance. The result is high quality cleaning at all times.





Quick and easy! With Floorwash it only takes a few minutes to change the brushes, simply press on the left side to remove the pins that support the brushes, make the change and reinsert the pins in the opposite direction.



Two counter-rotating brushes

Two cylindrical brushes, front and rear, ensure that every surface is perfectly cleaned, fully recovering any type of liquid present on the floor. Floorwash's effectiveness comes from the high opposite rotation speed of the brushes, allowing the roller to carry the dirt inside the recovery tank.



Effective cleaning flush with the wall

Floorwash's innovative front brush allows you to effectively clean along the edge of wall and reach the most difficult corners. The off-centre position on the right, puts the tip of the brush only 5 mm from the edge overhang.



Manual water dispensing

The lever used to dispense water is placed under the handle for maximum comfort. It is possible to "measure" the quantity of water dispensed according to the surface specifications. This makes Floorwash a tool able to clean any type of surface, including parquet.

Technical features

Machine height	140 mm
Machine width	285 mm
Machine length	330 mm
Front brush	Ø 86 700 rpm
Rear brush	Ø 54 1145 rpm
Working width	250 mm
Working capacity	300 m²/h
Brushless motor power	580 Watt
Voltage	36 V DC
Total storage capacity	4 L
Recovery tank capacity	1 L
Total empty weight (without battery)	8.5 kg
Battery	
Supplied voltage	36 Volt
Supplied current	5.8 A/h-208.8 Watt/h
Dimensions	110 mm X 170 mm X 102 mm
Max autonomy	60 min
Recharge time	90 min
Veight Veight	1.40 kg



Contact all branches

p: 1300 347 347 | e: sales@centralcleaning.com.au www.centralcleaning.com.au



BOOK A FREE DEMO NOW

Call us on 1300 347 347



Floor Scrubber Dryer Code: FCM.BAT FB35GCIM



Bigger and better

Cleaning the floor without entangling power cords means using the FB35 floor scrubber dryer. Its dimensions allow you to clean much larger surfaces, with up to 60 minutes of autonomy.



Lots of power at your service.

The brushless motor guarantees maximum performance. Its electronic brain allows it to always work in optimal performance conditions and ensures long service life.



Li-ion battery

Power in an ultra-compact format.

The battery with rechargeable lithium-ion technology provides up to 1 hour of autonomy in continuous use.

Full charge in just 90 minutes.



Smart Change System A few seconds to work continuously.

The SCS system allows you to change the battery in seconds ensuring work without interruptions.



Circuit Protector System

Latest generation safety.

The CPS system automatically manages motor power. In case of excessive effort, obstacles or difficult surfaces, the brushes work intermittently avoiding damage to the product or surfaces.





Automatic Friction Control

The surface changes, the power stays.

The AFC system automatically recognises the type of surface you are working on and adapts motor performance. The result is high quality cleaning at all times.





Quick and easy! With Floorwash it only takes a few minutes to change the brushes, simply press on the left side to remove the pins that support the brushes, make the change and reinsert the pins in the opposite direction.



Two counter-rotating brushes

Two cylindrical brushes, front and rear, ensure that every surface is perfectly cleaned, fully recovering any type of liquid present on the floor. Floorwash's effectiveness comes from the high opposite rotation speed of the brushes, allowing the roller to carry the dirt inside the recovery tank.



Effective cleaning flush with the wall

Floorwash's innovative front brush allows you to effectively clean along the edge of wall and reach the most difficult corners. The off-centre position on the right, puts the tip of the brush only 5 mm from the edge overhang.



Manual water dispensing

The lever used to dispense water is placed under the handle for maximum comfort. It is possible to "measure" the quantity of water dispensed according to the surface specifications. This makes Floorwash a tool able to clean any type of surface, including parquet.

Technical features

FB35 BATTERY-POWERED FLOOR SCRUBBER DRYER		
Machine height	140 mm	
Machine width	385 mm	
Machine length	330 mm	
Front brush	Ø 88.5 700 rpm	
Rear brush	Ø 54 1145 rpm	
Working width	350 mm	
Working capacity	500 m²/h	
Brushless motor power	580 Watt	
Voltage	36 V DC	
Total storage capacity	4 L	
Recovery tank capacity	1.8 L	
Total empty weight (without battery)	9.5 kg	
Battery		
Supplied voltage	36 Volt	
Supplied current	5.8 A/h-208.8 Watt/h	
Dimensions	110 mm X 170 mm X 102 mm	
Max autonomy	60 min	
Recharge time	90 min	

The Li-Ion Battery FLB3658 maintains 100% capacity for 500 complete charge cycles.

1.40 kg



Contact all branches

Weight

p: 1300 347 347 | e: sales@centralcleaning.com.au www.centralcleaning.com.au



BOOK A FREE DEMO NOW

Call us on

1300 347 347

FB45



Floor Scrubber Dryer

Code: FB45

Professional high speed cleaning

The new FB45 is fast, light and ultra compact. The brushless engine with artificial intelligence guarantees a lot of power and maximum control over energy consumption. The large cleaning surface of 45 cm allows to significantly reduce the time of use without any compromise.



Brushless motor Lots of power at your service.

The brushless motor guarantees maximum performance. Its electronic brain allows it to always work in optimal performance conditions and ensures long service life.



Li-ion battery

Power in an ultra-compact format.

The battery with rechargeable lithium-ion technology provides up to 1 hour of autonomy in continuous use.

Full charge in just 90 minutes.



Smart Change System

A few seconds to work continuously.

The SCS system allows you to change the battery in seconds ensuring work without interruptions.



Circuit Protector System

Latest generation safety.

The CPS system automatically manages motor power. In case of excessive effort, obstacles or difficult surfaces, the brushes work intermittently avoiding damage to the product or surfaces.





Automatic Friction Control

The surface changes, the power stays.

The AFC system automatically recognises the type of surface you are working on and adapts motor performance. The result is high quality cleaning at all times.





Quick and easy! With Floorwash it only takes a few minutes to change the brushes, simply press on the left side to remove the pins that support the brushes, make the change and reinsert the pins in the opposite direction.



Two counter-rotating brushes

Two cylindrical brushes, front and rear, ensure that every surface is perfectly cleaned, fully recovering any type of liquid present on the floor. Floorwash's effectiveness comes from the high opposite rotation speed of the brushes, allowing the roller to carry the dirt inside the recovery tank.



Effective cleaning flush with the wall

Floorwash's innovative front brush allows you to effectively clean along the edge of wall and reach the most difficult corners. The off-centre position on the right, puts the tip of the brush only 5 mm from the edge overhang.



Manual water dispensing

The lever used to dispense water is placed under the handle for maximum comfort. It is possible to "measure" the quantity of water dispensed according to the surface specifications. This makes Floorwash a tool able to clean any type of surface, including parquet.

Technical features

FB45 BATTERY-POWERED FLOOR SCRUBBER DRYER (III)		
Machine height	140 mm	
Machine width	485 mm	
Machine length	330 mm	
Front brush	Ø 88.5 700 rpm	
Rear brush	Ø 54 1145 rpm	
Working width	450 mm	
Working capacity	750 m ² /h	
Motor	Brushless motor	
Brushless motor power	580 Watt	
Voltage	36 V DC	
Total storage capacity	4 L	
Recovery tank capacity	3 L	
Total empty weight (without battery)	12 kg	
Battery		
Supplied voltage	36 Volt	
Supplied current	5.8 A/h-208.8 Watt/h	
Dimensions	110 mm X 170 mm X 102 mm	
Max autonomy	60 min	
Recharge time	90 min	
Weight	1.40 kg	
Supplied voltage	100-240 V / 4 A 50/60 Hz	

The Li-lon Battery FLB3658 maintains 100% capacity for 500 complete charge cycles.



Contact all branches

p: 1300 347 347 | e: sales@centralcleaning.com.au www.centralcleaning.com.au